



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Melting and Boiling Point Tables. By THOMAS CARNELLEY. London, Harrison & Sons. f^o.

THE issue of the second volume of Carnelley's 'Melting and Boiling Point Tables' completes the valuable compilation, which now comprises more than fifty-one thousand data systematically arranged with a view to ready reference. Beside the melting and boiling points, so far as known, of individual chemical compounds, organic and inorganic, and such information as is at hand concerning their constitution, boiling-points of miscellaneous materials and mixtures, freezing-points of mixtures and solutions, and vapor-tensions of simple substances, mixed liquids, and saline solutions, are included. The statement of the relation between the numbering of volumes and the years of issue of the more important periodicals of chemistry and physics, and an alphabetical index of the 'root-compounds' of carbon, are minor conveniences. The list of authorities and original sources of knowledge, which really is an index to the literature, is not the least important feature of the work; and the additional references to correlative information in Watts's 'Dictionary of Chemistry,' and the Journal of the Chemical Society, will be especially appreciated by readers whose consulting libraries are not full. The work, planned so ambitiously and executed with the care which is evident, forms an important contribution to the resources of workers in physics and chemistry; and the many who will make use of it may very properly felicitate themselves upon the fact that the author, who is of the few endowed with the aptitude and patience necessary to complete the undertaking satisfactorily, possessed the fortitude to enter upon a course of such colossal drudgery.

Educational Mosaics. By THOMAS J. MORGAN. Boston, Silver, Rogers, & Co. 12^o.

THIS work, compiled by the principal of the Rhode Island State Normal School, is a collection of extracts from a great number of writers, chiefly modern, on topics connected with education. Its appearance is one more sign of the great interest now taken in the subject with which it deals,—an interest that seems to grow greater every year. There has, indeed, been a great awakening in the public mind of this country in regard to education. It is not many years since our educated classes seemed to be very well satisfied with the knowledge and training they possessed, and to think it good enough for their successors; while public speakers and writers were never weary of proclaiming that our public schools were all that could be desired, and our people the most enlightened on the earth. We have learned better since those days, and have become painfully aware that our higher education is by no means what it should be, that the education of the masses is equally defective, and that the methods of teaching in all our schools admit of much improvement. The book before us faithfully reflects the present state of the public mind and the various shades of prevalent opinion. The subjects treated are necessarily very varied, yet questions of present interest are given far more space than all others; and, as both sides of every controversy are given, the reader obtains a pretty good idea of what the best thinkers on educational topics are now saying. Among the subjects most largely treated are the relative importance of the classics and the physical sciences, the need of studying English, the necessity of moral training, the higher education of women, and the improvement of the methods of teaching. The controversy between the friends of the classics and those of the physical sciences is naturally a prominent feature of the work; and, though the number of extracts is much greater on the side of the classics, this is probably due to the fact that as yet the greater number of educators are on that side. The large number of extracts relating to moral education show that our educators are alive to its importance; but they show also that there is much uncertainty as to how much education is to be given. Indeed, the art of teaching virtue seems to be as difficult and as perplexing now as it was in the time of Socrates.

General Morgan's book will be of great interest, not only to practical teachers, but to all persons interested in education. The only criticism we should be inclined to make is as to the arrangement of the extracts, which is according to the alphabetical order of the authors' names, while we should have preferred an arrangement by topics. The book is one to be taken up again and again for the

stimulating thoughts it contains; and teachers, in particular, will find it an excellent companion.

Gilman's Historical Readers. Nos. 1, 2, and 3. By ARTHUR GILMAN. Chicago, Interstate Publ. Co. 16^o.

IF the young people of this country are not properly educated, it will not be for want of books intended for their perusal. In every department of literature that is adapted to young intelligences, books in great numbers may be had at low prices, and numerous additions are made to the list every year. The quality of the books, however, often leaves much to be desired. Indeed, the writing of books for children is an art by itself, quite different in some respects from that of writing for adults, and calling for special qualifications in the writer. Many books intended for the young fail of their purpose because they are dull, or because the style is obscure, or because they contain matters above the comprehension of juvenile readers. These little books by Mr. Gilman on the study of American history are not liable to these objections. The author's style is simple and clear without being undignified, his choice of topics judicious, and his manner of telling his story such as can hardly fail to interest youthful readers. The majority of brief histories are so overloaded with details, that young readers, and indeed readers of all ages, find it impossible to grasp them all, and are apt to grow weary of the study. Mr. Gilman has, for the most part, successfully avoided this fault, only a few of his chapters being crowded with detail, and these generally for some special reason.

The first of these little readers treats of the discovery and exploration of the country, the second of the colonization period, while the third and largest of them is devoted to "the making of the American nation." In the first volume the subject is so romantic that children can hardly fail to take an interest in it; and Mr. Gilman has made the most of this quality of his subject, yet without neglecting its more important aspects, so far as these are intelligible to very young readers. The second volume presents, in the main, similar characteristics, though the subject is more complicated. The third and concluding volume is somewhat deeper in thought, as well as larger in size, than either of the others. The greater part of it is, of course, devoted to the Revolution and the early years of the national life; but the history is carried on in brief to the end of the reconstruction period, the author holding that "the making of the American nation was not completed until the supremacy of the Union was acknowledged in every part of the land. The young American who familiarizes himself with the contents of these little books will not only have gained a good general idea of the history of his country, but will have laid a good foundation for a deeper and more extensive study in later years.

The Upper Beaches and Deltas of the Glacial Lake Agassiz. (U. S. Geol. Surv., Bull. No. 39.) By WARREN UPHAM. Washington, Government. 8^o.

THIS bulletin is but an initial contribution to our knowledge of Lake Agassiz. The investigation is still in progress, and the general discussion of data and the eduction of conclusions are mainly reserved until its completion.

Lake Agassiz belongs in the same category with Lakes Bonneville and Lahontan, in that it is a large extinct lake dating from the close of the glacial epoch. But in its situation and origin, and the cause of its extinction, it is radically different from these ancient lakes of the Great Basin. The basins of the latter belong to the constructive type of Davis, being due to profound oscillations of the earth's crust, and these lakes owe their disappearance solely to climatic changes resulting in the gradual predominance of evaporation over precipitation.

The basin of Lake Agassiz, on the other hand, belonged to the obstructive type, owing its existence to the damming up of the Red River of the North and its tributaries by the southern edge of the continental ice-sheet during its gradual recession from the sources of that stream to Hudson Bay; and, although the disappearance of this lake can also be traced to a climatic change, it was not a change from humid to dry, but from cold to warm, the lake vanishing with the icy barrier that retained it. During this retreat free drainage from the melting ice could not take place, because the descent of

the land is northward. As soon as the border of the ice had receded beyond the watershed dividing the basins of the Minnesota and the Red Rivers, it is evident that a lake, fed by the glacial melting, stood at the foot of the ice-fields, and extended northward as they withdrew along the Red River valley to Lake Winnipeg, filling this valley and its branches to the height of the lowest point over which an outlet could be found. Until the ice-barrier was melted upon the area now crossed by the Nelson River, thereby draining this glacial lake, its outlet was along the present course of the Minnesota River. At first its overflow was upon the nearly level, gently undulating surface of the drift, about 1,100 feet above the sea; but in process of time this cut a channel 125 to 150 feet deep and from one to two miles wide, in which lie Traverse and Big Stone Lakes, respectively 970 and 962 feet above the sea. From this outlet the plain of the Red River valley, 30 to 50 miles wide, stretches 315 miles north to Lake Winnipeg, which is 710 feet above the sea. Along this entire distance there is a very uniform continuous descent of a little less than one foot per mile. The drift deposited by the ice-sheet upon this area, together with that which may have been dropped by floating ice borne on the waters of the lake, and the silt brought in by glacial rivers and by those of the surrounding land, were here received in a lake, shallow near its mouth, but becoming gradually deeper northward.

Beyond our national boundary, Lake Agassiz covered a broad expanse, including the basins of Lake Winnipeg, Red and Rainy Lakes, and the Lake of the Woods. Its breadth varied from 100 to 200 miles, with an extreme length of at least 600 miles and an area, at the time of its greatest extent, exceeding that of Lake Superior.

The most interesting geological features of the basin of this ancient lake now observable are the terraces or beaches formed along its shores at different levels as its outlet was gradually lowered by erosion. These beaches are continuous ridges of sand and gravel, unbroken, save where crossed by modern streams or expanded into the deltas of the ancient lake, whose outlines are thus accurately traced at four distinct levels. The highest or Herman beach is, at the southern end of the lake, 1,045 feet above the sea, or 85 feet above Lake Traverse, and the lowest beach.

Mr. Upham's careful determinations of the altitudes of the beaches have fully established the remarkable fact that the beaches are not level, but have a gradual ascent northward, as compared with the present level line or the surface which a body of water would have now if confined in this valley. The rate of ascent of the highest or Herman beach increases gradually from six inches a mile at Lake Traverse, to above sixteen inches a mile near the national boundary, the total ascent in this distance being 185 feet.

The several beaches are not parallel, the rate of ascent diminishing from the highest to the lowest beach. Thus the second beach is 120 feet, the third 65 feet, and the fourth or lowest 35 feet, higher at the national boundary than at Lake Traverse.

The altitude of the beaches is a function of the longitude as well as the latitude; for a comparison of these beaches in Dakota and Minnesota at the same latitude reveals an ascent from west to east similar to that from south to north, but of less amount, and diminishing in a similar ratio between the successive stages of the lake.

Various causes for these interesting phenomena are suggested and reserved for future discussion; but Mr. Upham indicates his adoption provisionally of the view that the divergence of these ancient shore-lines from the present level line was produced by the gravitation of the water of the lake toward the ice-sheet. At first this attraction would have been relatively large, because of the nearness of the great mass of ice on the north-east in Minnesota and northward in British America; but, as the ice retreated, it must have been gradually diminished, and reduced to a comparatively small influence by the time the ice-sheet had withdrawn so as to permit the northward drainage of the lake.

NOTES AND NEWS.

Two new methods of determining the density of the earth are being experimented upon at Berlin. The one, by Dr. F. Richarz and Dr. A. König, has been referred to in *Science* (v. 217). These gentlemen apply a sensitive balance with a double pair of scales, one swinging above, the other below, a heavy parallelepipedic mass of lead, which consists of a number of blocks which are ex-

actly measured and weighed. The blocks are perforated, and the wires connecting the upper and lower scales pass through the shaft formed by these perforations. By an ingenious arrangement, the weights, which consist of spheres of lead, can be changed from the upper to the lower scales without opening the case in which the balance is enclosed. The principle on which the experiment is founded is, that, if one of two equal weights is below, the other above, the mass of lead, its attraction will diminish the weight of the former and increase that of the latter. The proportion between this increase and the total weight gives the means for determining the proportion between the attraction and masses of the lead and the earth. Preliminary experiments made with this balance show that a great exactness of the definite measurements may be expected. These experiments are being carried on under the auspices of the Berlin Academy of Sciences in a casemate of Spandau. At the same time J. Wibring is experimenting by another method in the astrophysical observatory at Potsdam. He uses a pendulum made of a brass tube one metre in length and four centimetres in diameter, with spheres of cast iron weighing five hundred and fifty grams at the two ends. A knife-edge of agate six centimetres in length passes through the centre of the tube, and swings on an agate rest. Two small mirrors are attached to the knife-edge, and the oscillations of the pendulum are observed through a telescope. The time of oscillation of the pendulum may be so nicely regulated that oscillations of five minutes length are perfectly regular. Near the iron spheres and opposite to one another, two iron cylinders weighing 325 kilograms are placed, the lower one attracting the lower end of the pendulum to one side, the upper one the upper end to the opposite side. The attraction of these masses affects the oscillations of the pendulum. The result of these observations for the mean density of the earth is 5.594 ± 0.032 . The mean of former reliable observations being 5.57, the new figure corresponds well with these. Both experiments will result in a more accurate and trustworthy determination of the mass of the earth.

— In a recent paper on literary catalogues, Mr. Samuel H. Sindeler makes some suggestive remarks about the system of cataloguing now so much in favor. To quote his words, "Paradoxical as it may sound, the very excellence of his [Dewey's] plan is one objection to it. Mr. Dewey multiplies co-operative advantages to those who use his system to such an extent, that if he lives long enough he will make it so much to the advantage of newly forming or growing libraries to use it, that none will be independent enough to modify it. And why should they wish to modify it? Simply because, less than fifty years ago, the present scheme could not have been formed. There was not knowledge enough in the world. There could not now be found, in any scheme then formed, place for a long range of subjects which appear in his actual classification. This is especially true in science, and who shall say that history will not repeat itself in the next fifty years? Let us rather work out the problem of the decimo-mnemonic system on different lines, each library or group of libraries for itself, according to the special needs of the same. Then new Deweys will arise and ply their ingenious arts, and in the millennium the fittest will survive. At present there is danger that the fittest will be handicapped. To give the fittest, when it comes, an earlier chance of survival is one purpose of this paper."

— Cumming's 'Electricity Treated Experimentally,' which was reviewed in the last number of *Science*, is published in America by D. Van Nostrand.

LETTERS TO THE EDITOR.

** * The attention of scientific men is called to the advantages of the correspondence columns of SCIENCE for placing promptly on record brief preliminary notices of their investigations. Twenty copies of the number containing his communication will be furnished free to any correspondent on request. The editor will be glad to publish any queries consonant with the character of the journal. Correspondents are requested to be as brief as possible. The writer's name is in all cases required as proof of good faith.*

Chrome considered as a Poison.

My attention has been called to an article by Mr. William Glenn of Baltimore in *Science* (x. 58), entitled 'Chrome considered as a Poison,' criticising a paper of mine in the *Boston Medical and Surgical Journal* on the same subject. Were it not that the criticism appears in a scientific journal of high standing, I should